

S T R E T C H   C E I L I N G

**CREATIVE**  **SPACE**

# CREATIVE SPACE

Stretch ceilings of Creative Space are modern and economical finish for any interior. It is fit perfectly in flats, houses and public places. Innovative technology allows to give any interior an unique and original look. Unlike traditional suspended ceilings, they allow complete freedom not only in choosing the color or texture, but also the shape of the ceiling. Assembly system means that, apart from aesthetic values they can also have a protective function e.g against flooding. Quick installation is the reason why Creative Space stretch ceilings are increasingly chosen as the perfect finish any interior. We offer You professional advice. Our ceilings are covered 10-years guarantee.


The stretch ceiling is very light, which does not burden the structural ceiling. In the event of low rooms, it does not significantly lower them, because is installed on ceiling profiles about 30 mm thick. In the stretch ceiling can be fitted with traditional, unconventional lighting ( LED strip, LED modules) or illuminated from above. Ventilation and supply air systems can also be installed. The stretch ceiling is waterproof. It protects the rooms from flooding from above and provides moisture protection. If the need arises, the ceiling can be washed with water and available cleaning agents.

*Imagine Your ceiling, we can make it for You in one day !*

*—Make Your home unique—*

CREATIVE  SPACE

# TRANSPARENT FOIL WITH PHOTO



Graphics printed on foil gloss/satin/mat

In the case of LED ceiling lighting, graphic printing is carried out on transparent foil optional gloss/satin/mat

From among hundreds of thousands of graphics, we download selected ones for you from the website [www.shutterstock.com](http://www.shutterstock.com)


# S A T I N



A satin ceiling can be compared to a perfectly finished plaster.

The satin ceiling is definitely smoother than a matt ceiling. The gloss is slightly dimmed, is toned and elegant.

This foil structure will be perfect for subdued and elegant interiors, and will also introduce balance in those where expressive furniture or accessories dominate. Due to its texture, satin is a golden mean for everyone undecided between gloss and matte





# GLOSS / SHINY



A shiny ceiling is the ceiling most often chosen by our clients. The ceiling is often called a mirror ceiling due to its almost 100% reflection. The ceiling after installation is often confused with glass or plexiglass, it has great potential, especially in low interiors. By using the ceiling in gloss and a dark color, we will optically enlarge the room. Glossy ceilings come in a wide range of colors. This foil texture will work in any interior: in the kitchen, dining room, living room, office, boutique, pool, restaurant or music club.


# RANGE OF COLORS

## Gloss/shiny




# RANGE OF COLORS

## Gloss/shiny



## Satin



## Matt




## Avant-garde



# RANGE OF COLORS

## Avant-garde






# OPENWORK CEILING

The Openwork Ceiling is an innovative three-dimensional system. The Openwork Ceiling consists of 2 layers: the openwork top and the bottom which is the background for the artistic openwork. Openwork is a pattern consisting of several, sometimes several dozen, several hundred round holes cut out in the top layer of the ceiling. To enhance the effect, it is recommended to install the lighting between layers or under the bottom layer. Nobody will pass by indifferently along such a ceiling. This system is an exclusive and sophisticated decor variant that works well in the interiors of those customers who are always 2 steps ahead of the prevailing trends.



# OPENWORK CEILING



**Wall profile**

**Inner shell without perforation**

**Outer shell with perforation**

**Perforation**

# OPENWORK CEILING



**Different configurations**



**10 years warranty**



**Waterproof. Protects against flooding from above**



**Short assembly time**



**Very low level of volatile toxic emissions in the air - class A +**



**Possibility of assembly various light sources**




**Resistant to UV rays**



**Strength 100 kg / m2**



**A large selection of colors for your ceiling**




**STYLING 1**

**140/140 cm**




**STYLING 2**

**170/170 cm**



**STYLING 3**


**103/110 cm**



**STYLING 4**


**190/190 cm**

# OPENWORK CEILING




STYLING 5

149/149 cm




STYLING 6

170/170 cm



STYLING 7

124/120 cm




STYLING 8

99/200 cm




STYLING 9

184/270 cm




STYLING 10

124/110 cm



STYLING 11



133/190 cm



STYLING 12


154/260 cm

# OPENWORK CEILING




STYLING 13

117/50 cm




STYLING 14

165/160 cm




STYLING 15

194/180 cm




STYLING 16

88/50 cm



STYLING 17

152/150 cm




STYLING 18

63/50 cm



# OPENWORK CEILING




STYLING 19

241/230 cm




STYLING 20

116/180 cm



STYLING 21

120/120 cm




STYLING 22

100/100 cm




STYLING 23

87/130 cm




STYLING 24

93/180 cm



STYLING 25


178/180 cm



STYLING 26


142/150 cm

# OPENWORK CEILING




STYLING 27

63/70 cm



STYLING 28

88/90 cm




STYLING 29

70/70 cm




STYLING 30

90/90 cm




STYLING 31

152/280 cm




STYLING 32

62/100 cm



STYLING 33


120/229 cm



STYLING 34


120/180 cm

# OPENWORK CEILING



STYLING 35

256/250 cm



STYLING 36

148/150 cm




STYLING 37

201/360 cm




STYLING 38

156/140 cm



STYLING 39

79/80 cm




STYLING 40

80/79 cm



STYLING 41

128/130 cm



STYLING 42


150/150 cm

# OPENWORK CEILING



STYLING 43

134/180 cm




STYLING 44

246/330 cm



STYLING 45

209/340 cm



STYLING 46

257/450 cm




STYLING 47

79/230 cm



STYLING 48

307/300 cm



STYLING 49


167/250 cm



STYLING 50


74/70 cm

# OPENWORK CEILING




STYLING 51

180/180 cm



STYLING 52

150/150 cm




STYLING 53

163/160 cm




STYLING 54

75/80 cm




STYLING 55

136/130 cm




STYLING 56

70/70 cm



STYLING 57

148/160 cm



STYLING 58

173/260 cm



# OPENWORK CEILING



STYLING 59

112/340 cm



STYLING 60

304/270 cm



STYLING 61

149/180 cm



STYLING 62

96/100 cm



STYLING 63

131/240 cm



STYLING 64

319/300 cm



STYLING 65

290/290 cm



STYLING 66

183/180 cm

# OPENWORK CEILING



STYLING 67

282/270 cm



STYLING 68

235/220 cm




STYLING 69

116/170 cm



STYLING 70

153/270 cm




STYLING 71

234/250 cm




STYLING 72

106/350 cm



STYLING 73

100/100 cm



STYLING 74

352/320 cm

# OPENWORK CEILING



STYLING 75

105/220 cm




STYLING 76

110/200 cm



STYLING 77

89/110 cm



STYLING 78

170/220 cm



STYLING 79

269/400 cm



STYLING 80

33/51 cm



STYLING 81


91/250 cm



STYLING 82

150/250 cm

# OPENWORK CEILING



STYLING 83

106/290 cm




STYLING 84

50/50 cm



STYLING 85

37/60 cm




STYLING 86

192/190 cm



STYLING 87

190/260 cm



STYLING 88

153/170 cm



STYLING 89

154/180cm



STYLING 90

104/139 cm

# OPENWORK CEILING



STYLING 91

53/90 cm



STYLING 92

156/159 cm



STYLING 93

190/190cm




STYLING 94

166/150 cm




STYLING 95

94/160 cm



STYLING 96

107/120 cm



STYLING 97

112/140 cm




STYLING 98

163/170 cm



# OPENWORK CEILING




STYLING 99

143/150 cm




STYLING 100

150/150 cm



STYLING 101

150/160 cm



STYLING 102

160/160 cm



STYLING 103

152/180 cm




STYLING 104

130/130 cm



STYLING 105

106/120 cm



STYLING 106


170/160 cm

# OPENWORK CEILING



STYLING 107

222/210 cm



STYLING 108

92/190 cm



STYLING 109

174/180 cm



STYLING 110

392/290 cm




STYLING 111

185/200 cm



STYLING 112

101/110 cm



STYLING 113

323/260 cm



STYLING 114

241/210 cm

# OPENWORK CEILING



STYLING 115

150/150 cm



STYLING 116

130/130 cm



STYLING 117

182/270 cm



STYLING 118

113/150 cm



STYLING 119

224/120 cm



STYLING 120

101/100 cm



STYLING 121

201/90 cm



STYLING 122

78/110 cm

# OPENWORK CEILING



STYLING 123

162/320 m



STYLING 124

140/280 cm



STYLING 125

165/330 cm



STYLING 126

309/350 cm




STYLING 127

161/220 cm




STYLING 128

249/310 cm



STYLING 129

94/160 cm



STYLING 130


45/61 cm

# OPENWORK CEILING



STYLING 131

111/90 cm



STYLING 132

118/100 cm




STYLING 133

135/100 cm




STYLING 134

174/90 cm



STYLING 135

173/180 cm




STYLING 136

74/70 cm



# OPENWORK CEILING




STYLING 137

85/180 cm



STYLING 138

81/80 cm



STYLING 139

90/140 cm



STYLING 140

162/160 cm

- After accepting the openwork visualization - waiting time 14 days
- Warning! We have no possibilities to edit patterns, we can only adjust the ready pattern to the size of the ceiling
- The minimum dimension of the ceiling, to which should be added margins min 30cm on each side. For example, the dimension 100/135 cm after adding margins is 160/195 cm

# BASIC PROFILES




## CLASSIC WALL PROFILE

Basic profile - used for the installation of ceilings of any format and size.



## CLASSIC WALL PROFILE WITH GASKET

Basic profile - used for the installation of ceilings of any format and size with decorative masking strip





## CEILING PROFILE

Used for installing the profile directly to the structural ceiling.

Only 21mm high so that the room does not lose height.

Used when wall installation is not possible

# BASIC PROFILES




## CEILING PROFILE WITH GASKET

Used for installing the profile directly to the structural ceiling.

Only 21mm high so that the room does not lose height.

Used when wall installation is not possible.

It has decorative masking strip




## SEPARATOR

Allows to divide large rooms into parts with specific dimensions

Used with a distance profile for custom constructions during installing stepped ceilings

Possibility of using any gasket width 7,5 cm




## DISTANCE PROFILE

Basic support profile used for complex construction

Possibility of connecting with separator profiles and led strip ceiling

# CONSTRUCTION PROFILES



## DUPLEX

Construction profile designed for grading ceiling without crevice or connecting the foil at a right angle  
Standard step height - 59mm

It is great combined with basic profiles  
With the use of a distance profile, practically unlimited height

The unique seating of the harpoon sockets allows the disassembly of the foil without damage




## ELEGANCE

A multi-purpose profile designed for assembly foil in hard to reach places  
installation in niches

Installation to the structural ceiling at any distance from the walls

It allows the use of an edge furniture strip in any color as a masking strip

# CONSTRUCTION PROFILES



## OPTIMA

Construction profile designed for masking strip stepping of ceilings and execution of free-hanging constructions with rounded corners


Step height - 72.5 mm

It is great combined with basic profiles

Possible to use any 7.5 mm wide contour masking strip


The unique seating of the harpoon sockets allows the disassembly of the foil without damage

# LED PROFILES



## LED STRIP CEILING

Separation profile with lighting is used to separate the foils with light lines  
Flexible masking strip included  
Light transmission of the masking strip up to 90%  
Easy assembly and disassembly of the masking strip for LED service





## LED STRIP WALL

Profile for backlight rooms around the perimeter with the use of a masking strip  
Flexible masking strip included  
Traditional wall profile installation



# LED PROFILES





## LED STRIP LEVEL

Construction profile for grading ceiling levels with contour illumination by means of a masking strip or the construction of closed hanging structures with side illumination

Step height - 72mm

Light transmission of the masking strip up to 90%

The unique seating of the harpoon sockets allows the disassembly of the foil without damage




## CONTOUR

Wall profile for ceiling installations with backlight around the perimeter of the room under the foil

The width of the lighting zone - 28 cm


Possible to use up to 3 tapes in various top / side positions

# LED PROFILES




## CONTOUR PRO

Wall profile for ceiling installations with backlight around the room perimeter with direct access to lighting.  
The width of the lighting zone - 28 cm  
Possible to use up to 2 tapes in various top / side positions



## ACCENT

Separation profile designed for linear lighting with the possibility of creating various geometric shapes by using a mask with harpoon coating  
The width of the lighting line - 54 mm  
Can be used as basic lighting  
Possibility install up to 5 LED strips in various variants of the embedment in the profile  
Possible to use any 7.5 mm wide contour masking strip



# -Make Your home unique-



**Different configurations**



**10 years warranty**



**Waterproof. Protects against flooding from above**



**Short assembly time**



**Low level of volatile toxic emissions in the air - class A +**



**Possibility of assembly various light sources**



**Resistant to UV rays**



**Strength 100 kg / m<sup>2</sup>**



**A large selection of colors for your ceiling**

# CREATIVE SPACE



**+31 622 599 453**



**[creativespace.csinfo@gmail.com](mailto:creativespace.csinfo@gmail.com)**



**Find us on  
Facebook**